Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

Data Sheet
Fujitsu LIFEBOOK P701 Notebook

Ultra-Mobile Performance to Go

High performance and a 30.7 cm (12.1-inch) WXGA display make the slim and handy notebook a real mobile companion for all situations. Thanks to very low weight, robust design, Anytime USB Charge and much more the Fujitsu LIFEBOOK P701 is prepared for everyday business and mobile usage and grants effective working even for the most demanding of users.

Full performance mobility
Maximum productivity even for the most demanding of applications thanks to state-of-the-art technology.
- 2nd generation Intel® Core™i3 or Core™i5 processor with Intel® HM65 chipset

Maximum security
Protect your company data against unauthorized third-party access.
- Computrace® enabled BIOS and Advanced Theft Protection, integrated SmartCard slot, optional fingerprint sensor, TPM module and OmniPass Security Software

Reliable companion
Secure and effective working even for the most demanding of users in all situations
- Spill-resistant keyboard, ShockSensor, integrated SmartCard slot
- Optional 0-Watt AC Adapter guarantees that the notebook does not consume electricity when switched off

Ergonomic working on the move
Enjoy constant access to all your data thanks to a versatile mobile device.
- ScrollWheel, long battery life with latest Li-Ion cells
- Anytime USB Charge to charge phones/media devices even when the system is turned off

Ultimate connectivity
Be available wherever you are; wireless connectivity anytime anywhere, even if there is no hotspot nearby.
- Optional embedded 3G/UMTS, WLAN, Bluetooth® and integrated DisplayPort

Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

Components

Operating system			
Operating system	Genuine Windows® 7 Professional 64-bit Genuine Windows® 7 Home Premium 64-bit Genuine Windows® 7 Home Basic (EM) 64-bit		
Operating system compatible	Genuine Windows® XP Professional Genuine Windows Vista® Business 32-bit		
Operating system notes	Driver support for Microsoft® Windows® XP Professional Buy Microsoft® Office 2010 to use the full-featured Office software on this PC.		
Memory modules	2 GB (1 module(s) 2 GB) DDR3, 1333 MHz, PC3-10600, SO DIMM 4 GB (1 module(s) 4 GB) DDR3, 1333 MHz, PC3-10600, SO DIMM		
Base unit memory	**LIFEBOOK P701 12.1-inch (Core i3)**	**LIFEBOOK P701 12.1-inch (Core i5)**	**LIFEBOOK P701 12.1-inch (Celeron)**
Supported capacity RAM (max.)	8 GB		
Memory slots total	2		
Memory slot type	DIMM (DDR3)		
Memory notes	DDR3 - 1333 MHz		
Hard disk drives (internal)	SSD SATA, 128 GB, 2.5-inch SATA, 7200 rpm, 500 GB, 2.5-inch, S.M.A.R.T. SATA, 7200 rpm, 320 GB, 2.5-inch, S.M.A.R.T. SATA, 7200 rpm, 160 GB, 2.5-inch, S.M.A.R.T. SATA, 5400 rpm, 320 GB, 2.5-inch, S.M.A.R.T. SATA, 5400 rpm, 320 GB, 2.5-inch, S.M.A.R.T. SATA, 5400 rpm, 160 GB, 2.5-inch, S.M.A.R.T. FDE, 5400 rpm, 320 GB, 2.5-inch, S.M.A.R.T.		
Hard disk notes	ShockSensor for HDD shock protection One Gigabyte equals one billion bytes, when referring to hard disk drive capacity. Accessible capacity may vary, also depending on used software Up to 18 GB of HDD space is reserved for system recovery		
WLAN (optional)	Atheros Minicard b/g/n Intel® Centrino® 6205 802.11 a/b/g/n		
Wireless technologies			
Antennas	2 Dual band WLAN antennas, 2 UMTS antennas optional, 1 Bluetooth antenna optional		
WLAN notes	Import and usage according to country-specific regulations.		
WiDi support	Yes (with Intel W-LAN)		
3G/UMTS (optional)	Sierra Wireless Gobi 3000 (UMTS downlink speed 14.4 Mbit/s, UMTS uplink speed 5.76 Mbit/s)		
Bluetooth (optional)	Bluetooth 3.0		
Display	30.7 cm (12.1-inch), LED backlight, (WXGA), Anti-glare display, 1280 x 800 pixel, 300:1, 200 cd/m		

Base unit	LIFEBOOK P701 12.1-inch (Core i3)	LIFEBOOK P701 12.1-inch (Core i5)	LIFEBOOK P701 12.1-inch (Celeron)
General system information			
Processor	Intel® Core™ i3-2310M* processor (2.10 GHz), 3 MB,	Intel® Core™ i5-2520M processor (2.5 GHz), 3 MB,	Intel® Celeron® processor 847 ULV (1.10 GHz), 2 MB,
Chipset	Intel® HM65		
BIOS features	BIOS based on Phoenix TrustedCore Notebook		
Processor notes	*Processor only for retail, SMB, education and government		

Graphics			
TFT resolution (DisplayPort)	up to 2560 x 1600		up to 2560 x 1600
TFT resolution (VGA)	up to 1920 x 1200		up to 1920 x 1200
TFT resolution (DVI on Port Replicator)	up to 1920 x 1200		up to 1920 x 1200
Graphics brand name	Intel® HD Graphics 3000		Intel® HD Graphics
Graphics features	DualView		DualView
Graphics notes	Shared memory depending on main memory size and operating system		Shared memory depending on main memory size and operating system
Interfaces			
Memory card slots	1 (SD)	1 (SD)	1 (SD)
ExpressCard slots	1 (34mm supported)	1 (34mm supported)	1 (34mm supported)
SmartCard slot	1	1	1
SIM card slot	1 (usable only with 3G/UMTS)	1 (usable only with 3G/UMTS)	1 (usable only with 3G/UMTS)
USB 2.0 total	3 (1 with Anytime USB Charge functionality)	3 (1 with Anytime USB Charge functionality)	3 (1 with Anytime USB Charge functionality)
VGA	1	1	1
DisplayPort	1	1	1
Ethernet (RJ-45)	1	1	1
DC-in	1	1	1
Audio: line-in / microphone	1	1	1
Audio: line-out / headphone	1	1	1
Internal microphones	1 (digital)	1 (digital)	1 (digital microphone)
Docking connector for Port Replicator	1	1	1
Kensington Lock support	1	1	1
Wired communication			
LAN	Built-in 10/100/1000 MBit/s Intel® 82579 V		
Keyboard and pointing devices			
	Spill-resistant keyboard		
	Number of keyboard keys: 83, Keyboard pitch: 18 mm, Keyboard stroke: 2.0 mm		
	Multi-gesture touchpad with two mouse buttons and ergonomic ScrollWheel Optional: Fingerprint sensor Application buttons		
Multimedia			
Audio type	On board		
Audio codec	Realtek ALC269		
Audio features	Stereo speakers		
Camera	Optional: Built-in webcam, 1.3 megapixel		
Power supply			
AC Adapter	19 V / 80 W (4.22 A), 100 V - 240 V (AC Input) , 50 Hz - 60 Hz, 0-Watt AC Adapter technology		
	19 V / 80 W (4.22 A), 100 V - 240 V (AC Input) , 50 Hz - 60 Hz, Standard Adapter		
1st battery options	Li-Ion battery 6-cell, 6200 mAh, 67 Wh		
	Li-Ion battery 6-cell, 5600 or 5800 mAh, 63 Wh		
Runtime 1st battery	up to 10 h		
Battery charging time	~160 min (5,800 mAh) ~ 180 min (6,200 mAh)		
Battery notes	Battery life may vary depending on product model, configuration, applications, power management settings and features utilized. Battery recharge time depends on usage. Rapid charge with 5,800 mAH batteries		
Dimensions / Weight / Environmental			
Dimensions (W x D x H)	283 x 215 x 26 (front) / 33 (rear) mm		
Weight	1.56 kg		
Weight notes	Actual weight may vary depending on configuration		
Operating ambient temperature	5 - 35C		

Dimensions / Weight / Environmental		
Operating relative humidity	20 - 80 %	
Additional Software		
Additional software (preinstalled)	Adobe Acrobat Reader Application Panel Display Manager ShockSensor Utility Power Saving Utility Plugfree Network EasyGuide online user documentation Nero Essentials S (burning software) Norton Internet Security (incl. Firewall) on Drivers & Utilities DVD for Microsoft Windows XP Fujitsu Recovery (Hard Disk Based Recovery)	
Additional software (optional)	Recovery DVD (Windows® 7) Drivers & Utilities DVD (DUDVD) UMTS connection manager (optional with UMTS)	Drivers & Utilities DVD (DUDVD) UMTS connection manager (optional with UMTS)
Manageability		
Manageability technology	DeskUpdate Driver management	
Manageability software	DeskView 10.x client management including:	
DeskView components	BIOS Management DeskView Helpdesk Integration Detailed system inventory management and reports On/Offline remote client management Remote power management Security Remote Control System notifications WoL (Wake on LAN)	
Supported standards	WMI PXE BootP (made4you)	
Manageability link	http://ts.fujitsu.com/solutions/it_infrastructure_solutions/manageability/featurefinder.html	
Security		
System protection	Kensington Lock support	
Audit proof protection	Computrace® enabled BIOS Optional: Trusted platform module (TPM 1.2) Norton Internet Security (incl. Firewall) 90 days version	
Access protection	Optional: Integrated fingerprint sensor including Omnipass software Integrated SmartCard slot Hard disk password User and supervisor BIOS password	Hard disk password Integrated SmartCard slot SMARTACCESS+ incl. fingerprint sensor & security software SystemLock BIOS SmartCard security User and supervisor BIOS password
Compliance		
Europe	CE	
Global	RoHS (Restriction of hazardous substances) WEEE (Waste electrical and electronical equipment) Microsoft Operating Systems (HCT / HCL entry / WHQL) WiFi certified ENERGY STAR® 5.0 EPEAT® in progress (dedicated regions)	
Compliance link	https://sp.ts.fujitsu.com/sites/certificates/default.aspx	
Port Replicator interfaces (optional)		
DC-in	1 (supports also 0-Watt AC Adapter)	
Power on switch	1	
USB 2.0 total	4	

Port Replicator interfaces (optional)	
DisplayPort	1 (not usable in parallel with DVI)
VGA	1
DVI	1 (not usable in parallel with DisplayPort)
Ethernet (RJ-45)	1
eSATA	1
Notes	Supports 0-Watt AC Adapter technology

Warranty	
Standard Warranty	1 year
Service level	Collect & Return Service / Bring-in Service (depending on country specific requirements)
Maintenance and Support Services - the perfect extension	
Recommended Service	5x9, Response Time: Next Business Day
Spare Parts availability	5 years
Service Weblink	http://ts.fujitsu.com/Supportservice

Recommended Accessories

LIFEBOOK bundle (Port rep\AC Adapter\EU-Cable Kit)		Flexibility, expandability, desktop replacement to name just a few benefits of Fujitsu docking options.	Order Code: S26391-F977-L200
Port Replicator		Flexibility, expandability, desktop replacement, investment protection to name just a few benefits of Fujitsu docking options.	Order Code: S26391-F977-L100
Car / Truck / Air Adapter		People who are often on business or private trips want to power up and recharge their handhelds, tablet PCs and notebooks anywhere and anytime. Fujitsu's goal is to anticipate our customers' wishes and therefore we offer the Car / truck / air adapter for use in cars, lorries, boats, caravans and airplanes. This power adapter fulfills two basic functions: charging and powering of the device through transformation of the on-board voltage (11 - 32 V) and on the other hand protection of the connnected device against interference - for more power on the move.	Order Code: S26391-F2613-L600
MicroSaver® Master Access DS, MicroSaver® DSMicrosaver® DS Ultra thin		Losing your notebook is unthinkable. Protect your computer with incomparable security, the disc lock. The most advanced disc locking technology is featured with carbon tempered steel core cable, external braided steel sheath, and patented T-Bar. This model offers the Master Access solution.The Kensington MicroSaver® DS Keyed Ultra-Thin Notebook Lock is designed for the ultimate defense of even the thinnest notebook. The nearly impenetrable disk style keyed locking mechanism along with an advanced cable design provides greater security.	Order Code: S26361-F1650-L900

Windows®. Life without Walls™.
Fujitsu recommends Windows 7.

More information

Fujitsu platform solutions

In addition to Fujitsu LIFEBOOK P701, Fujitsu provides a range of platform solutions. They combine reliable Fujitsu products with the best in services, know-how and worldwide partnerships.

Dynamic Infrastructures
With the Fujitsu Dynamic Infrastructures approach, Fujitsu offers a full portfolio of IT products, solutions and services, ranging from clients to datacenter solutions, Managed Infrastructure and Infrastructure as-a-Service. How much you benefit from Fujitsu technologies and services depends on the level of cooperation you choose. This takes IT flexibility and efficiency to the next level.

Computing Products
www.fujitsu.com/global/services/computing/

Software
www.fujitsu.com/software/

More information

Learn more about Fujitsu LIFEBOOK P701, please contact your Fujitsu sales representative or Fujitsu Business partner, or visit our website.
http://ts.fujitsu.com/mobile

Fujitsu green policy innovation

Fujitsu Green Policy Innovation is our worldwide project for reducing burdens on the environment.
Using our global know-how, we aim to resolve issues of environmental energy efficiency through IT.
Please find further information at http://www.fujitsu.com/global/about/environment/

Copyrights

All rights reserved, including intellectual property rights. Changes to technical data reserved. Delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.
For further information see http://ts.fujitsu.com/terms_of_use.html
Copyright Fujitsu Technology Solutions

Disclaimer

Technical data are subject to modification and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner

CONTACT
FUJITSU Technology Solutions
Website: http://ts.fujitsu.com
2011-06-01 CE-EN

All rights reserved, including intellectual property rights. Changes to technical data reserved. Delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded.
Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.
For further information see http://ts.fujitsu.com/terms_of_use.html
Copyright Fujitsu Technology Solutions